

FIG. 1




FIG. 2




FIG. 3

82	LEVEL 0 LOTUS iNOTES SYNC MGR NO DATA COMPRESSED DLLS	iNOTES COMPRESSED
84	LEVEL 1 OEM'ABLE CD: NSF OF WEB SITE	iNOTES INSTALLER, NO DATA
86	LEVEL 2 NOTES API PROGRAM NSF's FOR iNOTES INSTALL	iNOTES INSTALLER, WITH CUSTOMER DATA

FIG. 4

5/24




FIG. 5.

SERVER SIDE 100

CLIENT SIDE 200





FIG. 6

SERVER SIDE LOG

<pd़ir>

~102

~104



<pd़ir>/<data>

118

122

124

126

128

<pd़ir>/<data>/ DOMINO/HTML/ DOWNLOAD

FILESETS

<OS>_<SERVICE>.exe, .inf

<OS>_<LOCALE>.exe, .inf

FIG. 7

SERVER SIDE 100




FIG. 8

CLIENT SIDE 200




FIG. 9

10/24

CLIENT SIDE 200





FIG. 10



SERVER 100

CLIENT 200




FIG. 12




FIG. 13

274

268

LOTUS NOTES SYNC MANAGER INITIAL WINDOW

FIG. 14

15/24

FIG. 15

OFFLINE CONFIGURATION DOCUMENT	
380	BASIC PAGE
384	SERVICES PAGE
390	SCHEDULES PAGE
400	RULES PAGE
409	DOWNLOAD PAGE FIELD

FIG. 16

17/24

BASICS TAB

380

SUBSCRIPTION
TITLE

382

FIG. 17

SERVICES TAB

384

386

388

DOMINO SERVICES TO INSTALL OFFLINE	CUSTOM SERVICES TO INSTALL OFFLINE
o BASIC SERVICES	CUSTOM FILESETS SPECIFICATIONS
o FULL TEXT EDITING	
o LOTUS SCRIPT AND UNSCHEDULED AGENTS	
o JAVA CLASSES AND APPLETS	
o CUSTOM SERVICES	

FIG. 18

18/24

390

SCHEDULE TAB

SCHEDULE TYPE	FREQUENCY	LIMITATIONS	EXCEPTIONS
DAILY	REPEATING	STOP SYNC AT	DISABLE
430	432	394	396
WEEKLY	INTERVAL	436	438
431			439
MONTHLY		437	
432			
DAY(S) OF WEEK	433		
DAY OF MONTH	434		
START TIME	435		

FIG. 19

400

RULES TAB

FILE RULES	SYNC OPTIONS: DATE FILTERING	SYNC OPTIONS: HALT CONDITIONS	SYNC OPTIONS: OPTIONAL ACTIONS
REQUIRED FILES TO REPLICATE	NUMBER OF DAYS LIMIT	DATABASE SIZE LIMIT	NOTIFY ON SYNC COMPLETION
OPTIONAL FILES TO REPLICATE	440 441	443 444 445	446 SUBSCRIPTION SIZE LIMIT ROUTE MAIL ON CLIENT SHUTDOWN
AUTO REPLICATE NEW DBs	442		447 448 REPLICATE ON CLIENT SHUTDOWN

FIG. 20


19/24

OFFLINE SECURITY POLICY FORM


BASICS TAB	ID DEPLOYMENT POLICY	AUTOMATIC TAB	LOOKUP TAB
SECURITY DOMAIN 450	PROMPT FOR ID DURING DOWNLOAD 451	CERTIFIER ID 452	ADDRESS BOOK FOR LOOKUP 453
	AUTOGENERATE USER IDs 454	PASSWORD FOR CERTIFIER ID 455	
	USE DIRECTORY LOOKUP 456	EXPIRATION DATE ON CREATED USER IDs 457	

FIG. 21

29/4
SERVER PROCESS



CLIENT PROCESS



OFFLINE AGENTS

FIG. 22.




FIG. 23

22/24

OPEN RESOURCE DATABASE
IN SESSION

→ S21

OPEN APPLICATION IN
SAME SESSION

→ S22

COPY NTF FILES INTO
APPLICATION:

REQUEST OFFLINE ID
WEB CONTROL
LOAD DOWNLOAD PAGE

→ S23

COPY OFFLINE CONFIG
FORM INTO APPLICATION

→ S24

COPY EDIT OFFLINE
CONFIG AGENT TO
APPLICATION

→ S25

COPY SUBFORMS INTO
APPLICATION:
CONFIGURATION SETTINGS
CUSTOMIZE PROFILE
DOWNLOAD CONTROL

→ S26

COPY
DOLS
NOTES
SERVER
IMAGES INTO APPLICATION

S28 → CLOSE FILES IN SERVER

S29 → OPEN APPLICATION
IN CLIENT

S30 → CREATE OFFLINE
SUBSCRIPTION CONFIG
PROFILE

S31 → CUSTOMIZE DOWNLOAD
PAGE (OPTIONAL)

S32 → SAVE AND CLOSE
OFFLINE SUBSCRIPTION
CONFIGURATION

S33 → SAVE AND CLOSE
APPLICATION

FIG. 24

IDENTIFY ALL DATABASES
IN APPLICATION

- S41

IDENTIFY MAIN DATABASE
AND COPY DESIGN ELEMENTS
ONLY TO MAIN DATABASE

- S42

IN MAIN, USE FRAMESET
AS OPENING PAGE

- S43

SPECIFY ONE FRAME AS
WEB CONTROL PAGE

- S44

CREATE RELATIVE URLs
AND PATHS TO APPLICATION
DATABASES

- S45

ENTER TO OFFLINE
SUBSCRIPTION CONFIGURATION
DOCUMENT REQUIRED AND
OPTIONAL FILES USING
WILDCARDS AND DIRECTORIES

FIG. 25




FIG. 26.